INDEX
TO VOLUME 38

SUBJECT INDEX

Abortion
Business is business–or is it? FYI, p. 181.

Disparities in rates of unintended pregnancy in the United States, 1994 and 2001, see **Fertility: Planning and Effects.**

Exploring the link between substance use and abortion: the roles of unconventionality and unplanned pregnancy, Martino SC, Collins RL, Ellickson PL and Klein DJ, p. 66.

Same data set, but..., FYI, p. 4.

Second-trimester abortion: logistics and lack of symptoms are factors, Digest, p. 118.

Under Texas parental notification law, minors' abortion rate falls, but risk of late abortion rises, see **Law and Policy.**

U.S. abortion training, FYI, p. 181.

Barrier Methods
Consistent condom use reduces the risk of type 2 herpes virus, Digest, p. 54.

Frequent male condom use decreases women's risk of HPV infection, see **STDs.**

Many people with herpes use condoms only during symptomatic outbreaks, see **STDs.**

Oral sex and condom use among young people in the United Kingdom, see **Teenagers.**

Promoting female condom use to heterosexual couples: findings from a randomized clinical trial, Witte SS, El-Bassel N, Gilbert L, Wu E, Chang M and Hill J, p. 148.

Skills-oriented counseling holds promise for increasing women's use of barrier methods, see **Evaluation of Programs.**

Breast-Feeding
Been there, done that; now you try, FYI, p. 180.

Both parents' immigration status is associated with the likelihood that an infant is breast-fed, Digest, p. 171.

Duration of breast-feeding is up in Swiss hospitals that encourage the practice, Digest, p. 56.

Contraceptive Practice
Contraceptive use and pregnancy risk among U.S. high school students, 1991–2003, see **Teenagers.**

Social, demographic and situational characteristics associated with inconsistent use of oral contraceptives: evidence from France, see **Oral Contraceptives.**

Emergency Contraception
Easy access to EC increases teenagers' use, but does not lead to risky behavior, Digest, p. 55.

Expanding access to emergency contraception through state systems: the Washington State experience, Special Report, Weldin M, Hutchings J, Hayes M, McAllister S, Harris C and Larsen-Mills D, p. 220.

In France, over-the-counter emergency contraception increases access, not risk, Digest, p. 226.

Pharmacy access to emergency contraception in California, Foster DG, Landau SC, Monastersky N, Chung F, Kim N, Melton M, McGhee BT and Stewart F, p. 46.

Using the theory of reasoned action to explain physician intention to prescribe emergency contraception, Sable MR, Schwartz LR, Kelly PJ, Lisbon E and Hall MA, p. 20.

Europe
In France, over-the-counter emergency contraception increases access, not risk, see **Emergency Contraception.**

Oral sex and condom use among young people in the United Kingdom, see **Teenagers.**

Social, demographic and situational characteristics associated with inconsistent use of oral contraceptives: evidence from France, see **Oral Contraceptives.**

Evaluation of Programs
Colorado prenatal program targeted at specific risk factors helps reduce the incidence of low birth weight, Digest, p. 57.

Education program design may benefit from health professionals' involvement, see **Sex Education.**

Estimates of pregnancies averted through California's family planning waiver program in 2002, Foster DG, Biggs MA, Amaral G, Brindis C, Navarro S, Bradsberry M and Stewart F, p. 126.

Expanding access to emergency contraception through state systems: the Washington State experience, see **Emergency Contraception.**

Skills-oriented counseling holds promise for increasing women's use of barrier methods, Digest, p. 58.

Unprotected sex among youth living with HIV before and after the advent of highly active antiretroviral therapy, see **STDs.**

Fertility: Planning and Effects
Disparities in rates of unintended pregnancy in the United States, 1994 and 2001, Finer LB and Henshaw SK, p. 90.

Government Policy, Programming and Funding
Estimates of pregnancies averted through California's family planning waiver program in 2002, see **Evaluation of Programs.**

Provision of contraceptive and related services by publicly funded family planning clinics, 2003, see **Service Providers.**

Strings attached, FYI, p. 64.

The provision and funding of contraceptive services at publicly funded family planning agencies: 1995–2003, see **Service Providers.**

Title X in California, Letter, Seigle MF, p. 231.

Your tax dollars at work, FYI, p. 125.

Law and Policy
HIV tests for rapists: whose call? FYI, p. 4.

Newborns' hospital stays and the law, FYI, p. 124.

Protecting sex workers, FYI, p. 5.

Under Texas parental notification law, minors' abortion rate falls, but risk of late abortion rises, Digest, p. 116.

When does high occupancy begin? FYI, p. 5.

INDEX
TO VOLUME 38

SUBJECT INDEX

Abortion
Business is business–or is it? FYI, p. 181.

Disparities in rates of unintended pregnancy in the United States, 1994 and 2001, see **Fertility: Planning and Effects.**

Exploring the link between substance use and abortion: the roles of unconventionality and unplanned pregnancy, Martino SC, Collins RL, Ellickson PL and Klein DJ, p. 66.

Same data set, but..., FYI, p. 4.

Second-trimester abortion: logistics and lack of symptoms are factors, Digest, p. 118.

Under Texas parental notification law, minors' abortion rate falls, but risk of late abortion rises, see **Law and Policy.**

U.S. abortion training, FYI, p. 181.

Barrier Methods
Consistent condom use reduces the risk of type 2 herpes virus, Digest, p. 54.

Frequent male condom use decreases women's risk of HPV infection, see **STDs.**

Many people with herpes use condoms only during symptomatic outbreaks, see **STDs.**

Oral sex and condom use among young people in the United Kingdom, see **Teenagers.**

Promoting female condom use to heterosexual couples: findings from a randomized clinical trial, Witte SS, El-Bassel N, Gilbert L, Wu E, Chang M and Hill J, p. 148.

Skills-oriented counseling holds promise for increasing women's use of barrier methods, see **Evaluation of Programs.**

Breast-Feeding
Been there, done that; now you try, FYI, p. 180.

Both parents' immigration status is associated with the likelihood that an infant is breast-fed, Digest, p. 171.

Duration of breast-feeding is up in Swiss hospitals that encourage the practice, Digest, p. 56.

Contraceptive Practice
Contraceptive use and pregnancy risk among U.S. high school students, 1991–2003, see **Teenagers.**

Social, demographic and situational characteristics associated with inconsistent use of oral contraceptives: evidence from France, see **Oral Contraceptives.**

Emergency Contraception
Easy access to EC increases teenagers' use, but does not lead to risky behavior, Digest, p. 55.

Expanding access to emergency contraception through state systems: the Washington State experience, Special Report, Weldin M, Hutchings J, Hayes M, McAllister S, Harris C and Larsen-Mills D, p. 220.

In France, over-the-counter emergency contraception increases access, not risk, Digest, p. 226.

Pharmacy access to emergency contraception in California, Foster DG, Landau SC, Monastersky N, Chung F, Kim N, Melton M, McGhee BT and Stewart F, p. 46.

Using the theory of reasoned action to explain physician intention to prescribe emergency contraception, Sable MR, Schwartz LR, Kelly PJ, Lisbon E and Hall MA, p. 20.

Europe
In France, over-the-counter emergency contraception increases access, not risk, see **Emergency Contraception.**

Oral sex and condom use among young people in the United Kingdom, see **Teenagers.**

Social, demographic and situational characteristics associated with inconsistent use of oral contraceptives: evidence from France, see **Oral Contraceptives.**

Evaluation of Programs
Colorado prenatal program targeted at specific risk factors helps reduce the incidence of low birth weight, Digest, p. 57.

Education program design may benefit from health professionals' involvement, see **Sex Education.**

Estimates of pregnancies averted through California's family planning waiver program in 2002, Foster DG, Biggs MA, Amaral G, Brindis C, Navarro S, Bradsberry M and Stewart F, p. 126.

Expanding access to emergency contraception through state systems: the Washington State experience, see **Emergency Contraception.**

Skills-oriented counseling holds promise for increasing women's use of barrier methods, Digest, p. 58.

Unprotected sex among youth living with HIV before and after the advent of highly active antiretroviral therapy, see **STDs.**

Fertility: Planning and Effects
Disparities in rates of unintended pregnancy in the United States, 1994 and 2001, Finer LB and Henshaw SK, p. 90.

Government Policy, Programming and Funding
Estimates of pregnancies averted through California's family planning waiver program in 2002, see **Evaluation of Programs.**

Provision of contraceptive and related services by publicly funded family planning clinics, 2003, see **Service Providers.**

Strings attached, FYI, p. 64.

The provision and funding of contraceptive services at publicly funded family planning agencies: 1995–2003, see **Service Providers.**

Title X in California, Letter, Seigle MF, p. 231.

Your tax dollars at work, FYI, p. 125.

Law and Policy
HIV tests for rapists: whose call? FYI, p. 4.

Newborns' hospital stays and the law, FYI, p. 124.

Protecting sex workers, FYI, p. 5.

Under Texas parental notification law, minors' abortion rate falls, but risk of late abortion rises, Digest, p. 116.

When does high occupancy begin? FYI, p. 5.

Males
Frequency of HIV testing is suboptimal among some men who are at high risk, see **STDs.**

Young teenagers and older sexual partners: correlates and consequences for males and females, see **Teenagers.**

Marriage and the Family
Urban parents, particularly those who are unmarried, frequently have children by multiple partners, Digest, p. 225.

Maternal and Child Health
Can DES risk be passed on? FYI, p. 181.

Colorado prenatal program targeted at specific risk factors helps reduce the incidence of low birth weight, see **Evaluation of Programs.**

Grim news on preterm births, FYI, p. 125.

Risk of adverse pregnancy outcomes associated with diabetes varies by women's race and ethnicity, Digest, p. 53.

Oral Contraceptives
Patch vs. pill: patch loses, FYI, p. 180.

Social, demographic and situational characteristics associated with inconsistent use of oral contraceptives: evidence from France, Moreau C, Bouyer J, Gilbert F, the COCON Group and Bajos N, p. 190.

Population Policy and Research
Old measure, new approach, FYI, p. 5.

Pregnancy and Childbirth
A shot in the arm for all pregnant women? FYI, p. 125.

Blacks have a greater risk of stillbirth than whites following a cesarean, and higher stillbirth recurrence, Digest, p. 115.

Early pregnancy failure: misoprostol may be good alternative to surgery, Digest, p. 168.

Early prenatal care does not close racial gaps in perinatal mortality, Digest, p. 174.

Improving work situations during pregnancy may help improve outcome, Digest, p. 170.

Women aged 40 and older have greatest likelihood of stillbirth; teenagers also have an elevated risk, Digest, p. 173.

Public Opinion
What the British know (and think) about HIV, FYI, p. 65.

Reproductive Health
If women had their druthers, FYI, p. 125.

Living in a poor neighborhood is a risk factor for overdue Pap screening in black women, Digest, p. 117.

Mind-body problem, FYI, p. 64.

Tea may ward off cancer, FYI, p. 5.

Women, but not men, living with a same-sex partner are disadvantaged with regard to health care access, Digest, p. 169.

Service Providers
Do U.S. family planning clinics encourage parent-child communication? findings from an exploratory survey, see **Teenagers.**

Expanding access to emergency contraception through state systems: the Washington State experience, see **Emergency Contraception.**

Pharmacy access to emergency contraception in California, see **Emergency Contraception.**

Provision of contraceptive and related services by publicly funded family planning clinics, 2003, Lindberg LD, Frost JJ, Sten C and Dailard C, p. 139.

The provision and funding of contraceptive services at publicly funded family planning agencies: 1995–2003, Lindberg LD, Frost JJ, Sten C and Dailard C, p. 37.

Using the theory of reasoned action to explain physician intention to prescribe emergency contraception, see **Emergency Contraception.**

What do doctors know? FYI, p. 4.

Why not screen for abuse? FYI, p. 65.

Young female Medicaid enrollees seeking reproductive health services are at risk of abuse, criminal activity, see **Teenagers.**

Sex Education
Changes in formal sex education: 1995–2002, Lindberg LD, Santelli JS and Singh S, p. 182.

Education program design may benefit from health professionals' involvement, Digest, p. 226.

Sexual Behavior
Acculturation and the sexual and reproductive health of Latino youth in the United States: a literature review, see **Teenagers.**

Asian American adolescents' first sexual intercourse: gender and acculturation differences, see **Teenagers.**

Boyfriends, girlfriends and teenagers' risk of sexual involvement, see **Teenagers.**

Early adolescents' cognitive susceptibility to initiating sexual intercourse, see **Teenagers.**

Early predictors of sexual behavior: implications for young adolescents and their parents, see **Teenagers.**

Friends' influence on adolescents' first sexual intercourse, see **Teenagers.**

Greater expectations: adolescents' positive motivations for sex, see **Teenagers.**

Lesbians, bisexual women: misperceptions of risk jeopardize sexual health, Digest, p. 53.

Many teenagers who say they have taken a virginity pledge retract that statement after having intercourse, see **Teenagers.**

Oral sex and condom use among young people in the United Kingdom, see **Teenagers.**

Sex in the media: links to behavior differ between white and black teenagers, see **Teenagers.**

Symptoms of depression in middle school teenagers linked to risky behavior, see **Teenagers.**

Toys, drugs and other risks, FYI, p. 65.

Understanding sex partner selection from the perspective of inner-city black adolescents, see **Teenagers.**

Urban parents, particularly those who are unmarried, frequently have children by multiple partners, see **Marriage and the Family.**

Young teenagers and older sexual partners: correlates and consequences for males and females, see **Teenagers.**

STDs
AIDS testing plan stirs controversy, FYI, p. 125.

Bulk of health care costs for people with HIV are for drugs, hospitalization, Digest, p. 119.

Consistent condom use reduces the risk of type 2 herpes virus, see **Barrier Methods.**

Drug-resistant HIV in the UK, FYI, p. 5.

Fly the friendly skies, FYI, p. 181.

4.5 years...and counting, FYI, p. 64.

Frequency of HIV testing is suboptimal among some men who are at high risk, Digest, p. 170.

Frequent male condom use decreases women's risk of HPV infection, Digest, p. 228.

Many people with herpes use condoms only during symptomatic outbreaks, Digest, p. 118.

New program will track HIV treatments and outcomes, FYI, p. 180.

Recent STD trend data, FYI, p. 5.

Russia owns up to HIV, FYI, p. 124.

STD testing made easy, FYI, p. 180.

The latest on HIV diagnoses, FYI, p. 4.

Unprotected sex among youth living with HIV before and after the advent of highly active antiretroviral therapy, Rice E, Batterham P and Rotheram-Borus MJ, p. 162.

UR OK; no CT, FYI, p. 64.

When can you be sued for spreading HIV? FYI, p. 124.

Young adults who lack continuous health insurance coverage have an elevated risk of chlamydia infection, Digest, p. 229.

Teenagers

Acculturation and the sexual and reproductive health of Latino youth in the United States: a literature review, Afable-Munsuz A and Brindis CD, p. 208.

Asian American adolescents' first sexual intercourse: gender and acculturation differences, Hahm HC, Lahiff M and Barreto RM, p. 28.

Boyfriends, girlfriends and teenagers' risk of sexual involvement, Marín BV, Kirby DB, Hudes ES, Coyle KK and Gómez CA, p. 76.

Changes in formal sex education: 1995–2002, see **Sex Education.**

Contraceptive use and pregnancy risk among U.S. high school students, 1991–2003, Santelli JS, Morrow B, Anderson JE and Lindberg LD, p. 106.

Do U.S. family planning clinics encourage parent-child communication? findings from an exploratory survey, Jones RK, p. 155.

Early adolescents' cognitive susceptibility to initiating sexual intercourse, L'Engle KL, Jackson C and Brown JD, p. 94.

Early predictors of sexual behavior: implications for young adolescents and their parents, Viewpoint, Lieberman LD, p. 112.

Easy access to EC increases teenagers' use, but does not lead to risky behavior, see **Emergency Contraception.**

Friends' influence on adolescents' first sexual intercourse, Sieving RE, Eisenberg ME, Pettingell S and Skay C, p. 13.

Greater expectations: adolescents' positive motivations for sex, Ott MA, Millstein SG, Ofner S and Halpern-Felsher BL, p. 84.

Many teenagers who say they have taken a virginity pledge retract that statement after having intercourse, Digest, p. 168.

Mirror, mirror on the wall..., FYI, p. 65.

Oral sex and condom use among young people in the United Kingdom, Stone N, Hatherall B, Ingham R and McEachran J, p. 6.

School health centers may help lower fertility, FYI, p. 181.

Sex in the media: links to behavior differ between white and black teenagers, Digest, p. 172.

Symptoms of depression in middle school teenagers linked to risky behavior, Digest, p. 230.

Under Texas parental notification law, minors' abortion rate falls, but risk of late abortion rises, see **Law and Policy.**

Understanding sex partner selection from the perspective of inner-city black adolescents, Andrinopoulos K, Kerrigan D and Ellen JM, p. 132.

What you never saw on *Gidget,* FYI, p. 124.

Young female Medicaid enrollees seeking reproductive health services are at risk of abuse, criminal activity, Digest, p. 227.

Young teenagers and older sexual partners: correlates and consequences for males and females, Manlove J, Terry-Humen E and Ikramullah E, p. 197.

AUTHOR INDEX

Afable-Munsuz A and Brindis CD, Acculturation and the sexual and reproductive health of Latino youth in the United States: a literature review, p. 208.

Amaral G, see Foster DG.

Anderson JE, see Santelli JS.

Andrinopoulos K, Kerrigan D and Ellen JM, Understanding sex partner selection from the perspective of inner-city black adolescents, p. 132.

Bajos N, see Moreau C.

Barreto RM, see Hahm HC.

Batterham P, see Rice E.

Biggs MA, see Foster DG.

Bouyer J, see Moreau C.

Bradsberry M, see Foster DG.

Brindis C, see Foster DG.

Brindis CD, see Afable-Munsuz A.

Brown JD, see L'Engle KL.

Chang M, see Witte SS.

Chung F, see Foster DG.

COCON Group, see Moreau C.

Collins RL, see Martino SC.

Coyle KK, see Marín BV.

Dailard C, see Lindberg LD.

Eisenberg ME, see Sieving RE.

El-Bassel N, see Witte SS.

Ellen JM, see Andrinopoulos K.

Ellickson PL, see Martino SC.

Finer LB and Henshaw SK, Disparities in rates of unintended pregnancy in the United States, 1994 and 2001, p. 90.

Foster DG, Biggs MA, Amaral G, Brindis C, Navarro S, Bradsberry M and Stewart F, Estimates of pregnancies averted through California's family planning waiver program in 2002, p. 126.

Foster DG, Landau SC, Monastersky N, Chung F, Kim N, Melton M, McGhee BT and Stewart F, Pharmacy access to emergency contraception in California, p. 46.

Frost JJ, see Lindberg LD.

Gilbert F, see Moreau C.

Gilbert L, see Witte SS.

Gómez CA, see Marín BV.

Hahm HC, Lahiff M and Barreto RM, Asian American adolescents' first sexual intercourse: gender and acculturation differences, p. 28.

Hall MA, see Sable MR.

Halpern-Felsher BL, see Ott MA.

Harris C, see Weldin M.

Hatherall B, see Stone N.

Hayes M, see Weldin M.

Henshaw SK, see Finer LB.

Hill J, see Witte SS.

Hudes ES, see Marín BV.

Hutchings J, see Weldin M.

Ikramullah E, see Manlove J.

Ingham R, see Stone N.

Jackson C, see L'Engle KL.

Jones RK, Do U.S. family planning clinics encourage parent-child communication? findings from an exploratory survey, p. 155.

Kelly PJ, see Sable MR.

Kerrigan D, see Andrinopoulos K.

Kim N, see Foster DG.

Kirby DB, see Marín BV.

Klein DJ, see Martino SC.

L'Engle KL, Jackson C and Brown JD, Early adolescents' cognitive susceptibility to initiating sexual intercourse, p. 97.

Lahiff M, see Hahm HC.

Landau SC, see Foster DG.

Larsen-Mills D, see Weldin M.

Lieberman LD, Early predictors of sexual behavior: implications for young adolescents and their parents, Viewpoint, p. 112.

Lindberg LD, Frost JJ, Sten C and Dailard C, Provision of contraceptive and related services by publicly funded family planning clinics, 2003, p. 139.

Lindberg LD, Frost JJ, Sten C and Dailard C, The provision and funding of contraceptive services at publicly funded family planning agencies: 1995–2003, p. 37.

Lindberg LD, Santelli JS and Singh S, Changes in formal sex education: 1995–2002, p. 182.

Lindberg LD, see Santelli JS.

Lisbon E, see Sable MR.

Manlove J, Terry-Humen E and Ikramullah E, Young teenagers and older sexual partners: correlates and consequences for males and females, p. 197.

Marín BV, Kirby DB, Hudes ES, Coyle KK and Gómez CA, Boyfriends, girlfriends and teenagers' risk of sexual involvement, p. 76.

Martino SC, Collins RL, Ellickson PL and Klein DJ, Exploring the link between substance use and abortion: the roles of unconventionality and unplanned pregnancy, p. 66.

McAllister S, see Weldin M.

McEachran J, see Stone N.

McGhee BT, see Foster DG.

Melton M, see Foster DG.

Millstein SG, see Ott MA.

Monastersky N, see Foster DG.

Moreau C, Bouyer J, Gilbert F, the COCON Group and Bajos N, Social, demographic and situational characteristics associated with inconsistent use of oral contraceptives: evidence from France, p. 190.

Morrow B, see Santelli JS.

Navarro S, see Foster DG.

Ofner S, see Ott MA.

Ott MA, Millstein SG, Ofner S and Halpern-Felsher BL, Greater expectations: adolescents' positive motivations for sex, p. 84.

Pettingell S, see Sieving RE.

Rice E, Batterham P and Rotheram-Borus MJ, Unprotected sex among youth living with HIV before and after the advent of highly active antiretroviral therapy, p. 162.

Rotheram-Borus MJ, see Rice E.

Sable MR, Schwartz LR, Kelly PJ, Lisbon E and Hall MA, Using the theory of reasoned action to explain intention to prescribe emergency contraception, p. 20.

Santelli JS, Morrow B, Anderson JE and Lindberg LD, Contraceptive use and pregnancy risk among U.S. high school students, 1991–2003, p. 106.

Santelli JS, see Lindberg LD.

Schwartz LR, see Sable MR.

Seigle MF, Title X in California, Letter, p. 231.

Skay C, see Sieving RE.

Sieving RE, Eisenberg ME, Pettingell S and Skay C, Friends' influence on adolescents' first sexual intercourse, p. 13.

Singh S, see Lindberg LD.

Sten C, see Lindberg LD.

Stewart F, see Foster DG.

Stone N, Hatherall B, Ingham R and McEachran J, Oral sex and condom use among young people in the United Kingdom, p. 6.

Terry-Humen E, see Manlove J.

Weldin M, Hutchings J, Hayes M, McAllister S, Harris C and Larsen-Mills D, Expanding access to emergency contraception through state systems: the Washington State experience, Special Report, p. 220.

Witte SS, El-Bassel N, Gilbert L, Wu E, Chang M and Hill J, Promoting female condom use to heterosexual couples: findings from a randomized clinical trial, p. 148.

Wu E, see Witte SS.

Statement of Ownership, Management and Circulation

Title of publication: *Perspectives on Sexual and Reproductive Health.* **Publication no.:** 080-470. **Date of filing:** Sept. 15, 2006. **Frequency of issue:** Quarterly. **No. of issues published annually:** Four (4). **Annual subscription price:** Individuals, $42.00; institutions, $52.00. **Complete mailing address of known office of publication:** 120 Wall Street, New York, NY 10005. **Complete mailing address of the headquarters or general business offices of the publisher:** Same as above. **Publisher:** Guttmacher Institute, same address as above. **Editor:** Patricia Donovan, same address as above. **Owner:** Guttmacher Institute. **Known bondholders, mortgagees, and other security holders owning or holding 1 percent or more of total amount of bonds, mortgages or other securities:** None.

The purpose, function, and nonprofit status of this organization and the exempt status for federal income tax purposes have not changed during preceding 12 months.

Extent and nature of circulation	Avg. no. copies of each issue during preceding 12 mos.	Actual no. copies of single issue published nearest to filing date
Total no. copies	5,450	5,700
Paid and/or requested circulation		
Mail subscription (paid and/or requested)	4,284	4,560
Other classes mailed through the USPS	0	0
Total	4,284	4,560
Free distribution by mail, carrier or other means (samples, complimentary and other free copies)	932	899
Total distribution	5,216	5,459
Copies not distributed		
Office use, left over, unaccounted for, spoiled after printing	234	241
Return from news agents	0	0
Total	5,450	5,700
Percent paid and/or requested circulation	82.13%	83.53%

I certify that the statements made by me above are correct and complete.

Patricia Donovan, Editor